

Description:

Diva Art Metal is a high-vacuum metallized paperboard on one side, specially designed for creative uses of graphic and luxury packaging. Diva Art Metal gives excellent printing and converting results.

Suitable for Conventional Offset, UV Offset, Rotogravure, Flexography (Solvent, UV, and water-based) printing.

End uses:

Folders, Folding materials, Packaging, Postcards, Inserts

Print methods:

Offset, Flexo, Rotogravure

Certificates:

- [PEFC Chain of Custody \(multisite\)](#)
- [FSC Chain of Custody \(multisite\)](#)
- [REACH regulation Lecta](#)
- [ISO 14001 Environment](#)
- [ISO 50001 Energy Efficiency](#)
- [ISO 9001 Quality](#)
- [ISO 45001 Health and Safety](#)

For applications that require specific certifications or approvals, please contact our sales teams.

Technical specifications

Property	Test Method	Unit	Tolerance	250	300	350
Substance	ISO 536	g/m ²	±5%	250	300	350
Thickness	ISO 534	µm	±5%	300	360	420
Bulk	ISO 534	cm ³ /g	-	1.2	1.2	1.2
Paper gloss	ISO 7668	%	±20%	185	185	185
Taber stiffness MD	ISO 2493	gf*cm	±30%	65	120	195
Taber stiffness CD	ISO 2493	gf*cm	±30%	35	60	95
Absolute humidity	ISO 287	%	±1%	3.0	3.0	3.0
Relative humidity	TAPPI T502 om-89	%	±7%	30	30	30



Diva Art Metal

TECHNICAL DATA SHEET

Values are subject to change without notice.

Last update: 02/17/2023